

## NAME

**albatross** – a tool for finding fonts that contain a given (Unicode) glyph.

## SYNOPSIS

**albatross** [*options*] *glyphs...*

## DESCRIPTION

**albatross** is a command line tool for finding fonts that contain a given (Unicode) glyph. It relies on Fontconfig, a library for configuring and customizing font access.

Albatross takes a list of glyphs as input. Three formats are supported:

- #1      The glyph itself, e.g., **Ã** (Eszett). Internally, the tool converts it to the corresponding Unicode code point.
- #2      The glyph as a Unicode code point in the hexadecimal notation, e.g., **0xDF**. The **0x** prefix is mandatory. Note that the tool takes the value as case insensitive, e.g., **0xDF** is equal to **0xdf** (or any case combination thereof).
- #3      The glyph as a Unicode code point using the multiset union notation, e.g., **U+DF**. The **U+** prefix is mandatory. Be mindful that this notation expects an uppercase **U**.

## OPTIONS

- show-styles**  
Show available font styles
- detailed**  
Show a detailed font list
- ansi-level** [*n*|*a16*|*a256*|*tc*]  
Set the default ANSI level
- border-style** [*1*|*2*|*3*|*4*|*5*|*6*]  
Set the border style
- or**      Look for each glyph separately
- version**  
Show the version and exit
- help**    Show a help message and exit

## BUGS

Issue tracker at <https://gitlab.com/islandoftex/albatross/-/issues>.